

CASE STUDY: **Beckenham**

A WIDE WALKWAY FOR GARDEN ACCESS

REQUIREMENT: A ramp to allow a powerchair user access to his garden.

A modular system was chosen because it can easily be removed if the homeowner was to relocate.

ADDITIONAL INFORMATION: A wider walkway was necessary to cover the width of the rear bi-fold doors.


CAD and technical drawings were designed by our specialist CAD designer in-house, from measurements and photos taken by our site surveyor.

Application: Residential


Location: Beckenham, London

System: Standard Ramp System

Service Package: Supply & Install



A3 Plan as Proposed



END RESULT: Our expert installers fitted a Rapid Ramp within a few hours.

FEATURES INCLUDED:

- Trombone Ends - these are added to the ends of a Rapid Ramp to prevent clothes catching.
- Telescopic Legs - these can be adjusted to accommodate different threshold heights.
- Mesh Platform - the self-draining mesh allows water to pass through rather than collect on the surface.
- Standard Handrail - this handrail system is designed to be grasped by the hand, to provide stability or support.

A BENEFIT OF MODULAR ACCESS PRODUCTS:

Modular ramps and steps can be configured into various combinations to suit different sized areas.

Widths available:

- 900mm – the recommended width for dwellings under Document M, Section 6 of the Building Regulations.
- 1000mm – our standard ramp for dwellings.
- 1200mm – our slightly wider ramp.
- 1500mm – the recommended width for ramps for public buildings.
- Bespoke width.



TEL: **01424 714646**
EMAIL: **SALES@RAPIDRAMP.CO.UK**

Hours:
Open 8am - 5pm, Monday to Friday

Address:
10 Menzies Road, Ponswood Industrial Estate, St Leonards on Sea, East Sussex TN38 9BB

Do you have a home requiring
a wheelchair ramp?
Contact our sales team