



CASE STUDY: Urban House

REPLACING A FOLDING WHEELCHAIR RAMP

REQUIREMENT: A permanent slip-resistant option to provide disabled and able-bodied access from the main entrance.

It will replace the worn-out foldable ramp which has become a slipping hazard.

Application: Residential


Location: Wakefield, Yorkshire

System: Standard Ramp System

Service Package: Supply & Install

ADDITIONAL INFORMATION: CAD and technical drawings were drawn by our specialist design team.





END RESULT: Our team installed a Rapid Ramp with a 1:15 gradient. It included two steps units and self-draining platforms.

FEATURES INCLUDED:

- Trombone Ends - These are added to the ends of a Rapid Ramp to prevent clothes catching.
- Telescopic Legs – This feature can be adjusted to accommodate different threshold heights.
- Standard Handrail – This handrail system is designed to be grasped by the hand, to provide stability or support.
- Mesh Platform – This self-draining mesh platform allows water to pass through rather than puddle on the surface and potentially freeze.


EXTRA FEATURE INCLUDED:



- Step Unit – An ideal addition to any ramp installation, providing the access needed for able-bodied users. They can also be stand-alone units, independent of the Rapid Ramp System.

MOSS GROW DOESN'T GROW ON OUR MESH PLATFORMS

Our self-draining mesh allows water to pass through, so moss has nothing to feed on.

Also, the mesh is manufactured from galvanised steel. Galvanising is a process where a protective coating of zinc is applied to prevent rusting and to kill moss.





TEL: **01424 714646**
EMAIL: **SALES@RAPIDRAMP.CO.UK**

Hours:
Open 8am - 5pm, Monday to Friday

Address:
10 Menzies Road, Ponswood Industrial Estate, St Leonards on Sea, East Sussex TN38 9BB

**Do you require wheelchair
ramps and steps?**

Contact our sales team