

CASE STUDY: Urban House

REPLACING A FOLDING WHEELCHAIR RAMP

REQUIREMENT: A permanent slip-resistant option to provide disabled and able-bodied access from the main entrance.

It will replace the worn-out foldable ramp which has become a slipping hazard.



Location: Wakefield, Yorkshire

System: Standard Ramp System

Service Package: Supply & Install




ADDITIONAL INFORMATION: CAD and technical drawings were designed by our specialist designer in-house.



TEL: 01424 714646 EMAIL: SALES@RAPIDRAMP.CO.UK WEBSITE: WWW.RAPIDRAMP.CO.UK



Interior of building



 \supset

END RESULT: Our team installed a Rapid Ramp with a 1:15 gradient. It included two steps units and self-draining platforms.

FEATURES INCLUDED:

- Trombone Ends these are added to the ends of a Rapid Ramp to prevent clothes catching.
- Telescopic Legs these can be adjusted to accommodate different threshold heights.
- Standard Handrail this handrail system is designed to be grasped by the hand, to provide stability or support.
- Mesh Platform this self-draining mesh platform allows water to pass through rather than puddle on the surface and potentially freeze.

EXTRA FEATURE INCLUDED:

• Step Unit - an ideal addition to any ramp installation, providing the access needed for ablebodied users. They can also be stand-alone units, independent of the Rapid Ramp System.


\rangle

MOSS GROW DOESN'T GROW ON OUR MESH PLATFORMS

Our self-draining mesh allows water to pass through, so moss has nothing to feed on.

Also, the mesh is manufactured from galvanised steel.

Galvanising is a process where a protective coating of zinc is applied to prevent rusting and to kill moss.











TEL: 01424 714646

EMAIL: SALES@RAPIDRAMP.CO.UK

Hours:

Open 8am - 5pm, Monday to Friday

10 Menzies Road, Ponswood Industrial Estate, St Leonards on Sea, East Sussex TN38 9BB

Do you require wheelchair ramps and steps?

Contact our sales team